E-Manganese Combines Bovine Anterior Pituitary With Vitamin E and Minerals to Support Healthy Pituitary Gland Function

The small but powerful pituitary gland resides in the center of the skull, directly behind the nose. While no larger than a pea, this oval-shaped gland is often referred to as the "master gland" of the endocrine system because it links the nervous system to the endocrine system to release important hormones that affect growth, sexual development and reproduction, and metabolism. Working in concert with the hypothalamus, the pituitary gland directs the function of all the glands in the endocrine system, since they rely on the secretions of the pituitary for stimulation. The pituitary gland is divided into three parts-the anterior, intermediate, and posterior lobes. Each section produces specific hormones. The anterior lobe contains endocrine cells that manufacture hormones in response to hormones secreted by the hypothalamus. The anterior lobe produces hormones that stimulate thyroid and adrenal function, stimulate bone growth, increase metabolism, spark ovarian and testicular function, and initiate milk production in the mammary glands. The intermediate lobe stimulates the production of melanin, the brown pigment found in the skin, hair, and eyes. The posterior lobe of the pituitary gland manufactures two more hormones-ADH (antidiuretic hormone), which increases absorption of water into the blood by the kidneys, and oxytocin, which contracts the uterus during childbirth and stimulates milk production.†

How E-Manganese Keeps You Healthy

Maintains cellular health

Bovine anterior pituitary gland contains active components and associated nutritional factors that produce an adaptogenic effect in the corresponding human gland. The active components in glandulars are the biochemical substances specific to the gland itself. They offer an external source to support the human gland. Associated nutritional factors in the glandular tissue include vitamins, minerals, amino and fatty acids, polypeptides, enzymes and coenzymes, and all of their synergistic cofactors. Vitamin E complex is an antioxidant that helps protect cells from oxidative damage and aids in tissue repair. Calcium helps maintain proper cell-wall permeability. The presence of potassium is required for chemical reactions inside cells and helps regulate the transfer of nutrients through cell membranes.†

Supports a healthy nervous system

Manganese helps maintain healthy nerves. Calcium and potassium help transmit nerve impulses efficiently. Potassium is essential in maintaining a healthy nervous system.



Introduced in: 1958 Content: 50 Tablets

Supplement Facts:

Serving Size: 1 tablet Servings per Container: 50

		%DV
Calories	2	
Vitamin E	7.7 IU	25%
Calcium	30 mg	4%
Manganese	8 mg	400%



E-Manganese

What Makes E-Manganese Unique

Unique Product Attributes

Combines desiccated bovine anterior pituitary gland with vitamin E, manganese, and calcium

- Each tablet supplies 155 mg bovine anterior pituitary; the anterior portion of this gland secretes hormones that help control growth, thyroid function, ovulation, and
- Supports cellular and nervous system health to promote healthy pituitary gland function
- Vitamins, minerals, and nutrients from animal tissues work synergistically for maximum effect[†]

Whole desiccated products provide optimum nutrient activity

• To support the general, healthy functioning of the pituitary gland and the important roles it plays in the proper functioning of many other organ systems

Unique Processing

Not disassociated into isolated components

• The nutrients in E-Manganese are processed to remain intact, complete nutritional compounds

Degreed microbiologists and chemists in our on-site laboratories constantly conduct bacterial and analytical tests on raw materials, product batches, and finished products

· Ensures consistent quality and safety

Vitamin and mineral analyses validate product content and specifications

· Assures high-quality essential nutrients are delivered

Whole Food Philosophy

Dr. Lee challenged common scientific beliefs by choosing a holistic approach of providing nutrients through whole foods. His goal was to provide nutrients as they are found in nature-in a whole food state where he believed their natural potency and efficacy would be realized. Dr. Lee believed that when nutrients remain intact and are not split from their natural associated synergists-known and unknown-bioactivity is markedly enhanced over synthetic nutrients. Following this philosophy, even a small amount of a whole food concentrate will offer enhanced nutritional support, compared to a synthetic or fractionated vitamin. Therefore, one should examine the source of nutrients rather than looking at the quantities of individual nutrients on product labels.

Each tablet supplies 155 mg bovine anterior

Proprietary Blend: Bovine anterior pituitary, magnesium citrate, and ascorbic acid.

Other Ingredients: Calcium lactate, honey, manganese glycerophosphate, mixed tocopherols (sov), and calcium stearate.

Suggested Use: One tablet per day, or as directed.

Sold to health care professionals.

Studies on nutrients generally use large doses and these studies, some of which are cited below, are the basis for much of the information we provide you in this publication about whole food ingredients. See the supplement facts for E-Mangan Anderson L.E. 1998. Mosby's Medical, Nursing, & Allied Health Dictionary. 5th ed. 1998. St. Louis, MO: Mosby-Year Book Inc: 246, 985, 1269, 1303,

Balch J., Balch P. 1997. Prescription for Nutritional Healing. 2nd ed. Garden City Park, NY: Avery Publishing Group: 19, 23, 26-27, 550-552. Held Meskini R., et al. 2000. Cell type-specific metabolism of peptidylglycine alpha-mediating monooxygenase in anterior pituitary. Endocrinology 141(8): 3020-3034.

Gardner M.L.G. 1984. Intestinal assimilation of intact peptides and proteins from the diet. A neglected field? Biol Rev 59: 289-331.

Gust D.A., et al. 2000. Activity of the hypothalamic-pituitary-adrenal axis is altered by aging and exposure to social stress in female rhesus monkeys.

Journal of Clinical Endocrinology and Metabolism 85(7): 2556-2563.

Heim C., et al. 2000. Pituitary-adrenal and autonomic responses to stress in women after sexual and physical abuse in childhood. JAMA 284(5): 592-

Keller K.L. 1998. Uses of vitamins A, C, and E and related compounds. J Am Aca Derm 39: 611-625.

Kone B.C. 1989. Cellular pathways of potassium transport in renal inner medullary collecting duct. Am J Phys 256(4 Pt 1): C823-830.

Lee I.M. 1999. Antioxidant vitamins in the prevention of cancer. Proc Assoc Am Physicians 111(1): 10-15

Levine S. 1997. Glandular Therapy, Art and Science of Regeneration. FOCUS Spring: 13-14. Schmid F., Stein J., eds. 1967. Cell Research and Cellular Therapy. Thoune, Switzerland: Ott Publishers Sies H. 1992. Antioxidant Functions of Vitamins. Ann NY Acad Med: 7-20.

Upston J. 1999. To copherol-mediated peroxidation of lipoproteins: implications for vitamin E as a potential antiatherogenic supplement. AFASEB 13:

Van Wynsberghe D. 1995. Human Anatomy and Physiology. McGraw-Hill, Inc. 598.
Whelton P.K., et al. 1997. Effects of oral potassium on blood pressure. Meta-analysis of randomized controlled clinical trials. J Am Vet Med Assoc 277(20): 1624-1632.

Whitfield J.E 1990. Calcium, Cell Cycles, and Cancer. CRC Press Inc: 7-32.
Willett W. 1990. Nutritional Epidemiology. Oxford University Press: 182-183.