

Garlic 5000mg M1290

Quality is our Passion

Garlic 5000mg: The Right Release

Garlic clove (or bulb) has been used therapeutically for over 3500 years. It is also used in most cultures of the world to provide a distinctive flavor to food.^{1,2*} There is much written about the history of garlic use. Garlic was fed to laborers in ancient Egypt, perhaps to help them maintain their strength. During some of the earliest Olympic Games (in ancient Greece) athletes were fed garlic before they competed. During the Middle Ages garlic became available in Europe after the Roman legions moved north. Garlic was grown in monasteries during Medieval times. Garlic grew freely in the woods of North America and Native Americans used garlic in their tea. Garlic was originally brought to the Americas by explorers and sailors from France and Portugal.^{3*}

Garlic constituents: the all important organic sulfur compounds

Garlic is a complex herb, and contains hundreds of constituents. Many of these constituents give garlic its characteristic smell; they are sulfurcontaining organic compounds. By 1998 it became apparent from clinical studies that for optimal efficacy, garlic products should contain substantial levels of the important sulfur compound alliin.4^{*} There are many types of garlic products available on the market: fresh (raw) garlic, dried garlic (garlic powder), garlic oils and aged garlic extract. The range of constituents in these products varies, as does the amount of important constituents. Only raw garlic and very carefully dried garlic powder contain alliin, aged garlic extract does not.5*

When a garlic clove is crushed, or when garlic gets wet the odorless alliin is broken down by the enzyme alliinase. Alliin is then converted into allicin and other strong smelling sulfur compounds.4*

Garlic products: is the allicin available for absorption in the body?

Because stomach acid can degrade alliinase, quality garlic powder products should be enterically coated. This type of coating protects the tablet (and the enzyme, alliinase) from being broken down in the stomach. (If alliinase became degraded, allicin would not be produced from alliin.) When enterically coated, the tablet survives intact and enters the intestine. Providing the tablet has a properly formulated coating, it is able to break down in the non-acidic environment of the small intestine, the enzymatic reaction can occur. Allicin is produced and can then be absorbed in the large intestine. If the enteric coating cannot break down in the intestine, allicin will not be produced, and then cannot be absorbed.² It is possible in the laboratory to measure the amount of allicin released from garlic tablets. This is called "under simulated gastrointestinal conditions."6*

Supplement Facts		
Serving size: Servings per container:	1 tablet 60	
Amount per Serving Calories	1	%DV
Calcium	20 mg	2%
Garlic Bulb 6.5:1 extract from <i>Allium sativum</i> bulb 1.04 g Containing alliin 4.3 mg	160 mg	t
Garlic (<i>Allium sativum</i>) bulb powder Containing alliin 1.4 mg	100 mg	†
[†] Daily Value (DV) not established.		

Other ingredients: Calcium acid phosphate, cellulose, hypromellose, magnesium stearate, enteric coating, glucose and sodium starch glycollate.

Caution: Contraindicated in lactation. Not to be used during pregnancy unless otherwise directed by a qualified health care professional. Contraindicated in known cases of allergy to Garlic

Product No	Content
M1290	60 Table

6	0 Tablets	


Alliin:	The compound found in raw and carefully dried garlic powder
Allicin:	The active ingredient formed from alliin in the small intestine
Alliinase:	The delicate enzyme required for the conversion of alliin to allicin



Associate Professor Kerry Bone MediHerb Co-Founder and Director of Research and Development

A Phytotherapist's Passion

"Philosopher and teacher Rudolf Steiner once said that, for every human illness, somewhere in the world there exists a plant which is the cure. I believe that there is a healing potential locked inside plants which is integral with their evolution, just as it is part of human evolution to learn to tap this wonderful gift of Nature."



The top diagram illustrates the chemical conversion of alliin to allicin by alliinase.

The bottom diagram illustrates how the alliin to allicin conversion can be verified using High Performance Liquid Chromatography (HPLC). HPLC is a sophisticated testing method used routinely by MediHerb.

Why use top quality herbal products from a reliable manufacturer?

Consumers need to be confident of the integrity of the herbal manufacturer to ensure that the product contains the stated amount of important constituents. Labels of garlic products that report allicin content are probably reporting *potential* allicin not *actual* allicin. So the amount of allicin delivered to the body is not guaranteed.² The amount of alliin converted to allicin can be as little as 10%. Conversion depends on the amount and activity of the alliinase.^{7*}

The activity of alliinase may be substantially decreased, for example, by:8*

- processing garlic bulb into a powder (eg with the use of heat)
- the presence of other compounds in the tablet
- incorrect disintegration of the tablet (because of its coating)

But there are more quality issues that consumers need to be concerned with, such as:*

- How much alliin is in the raw material?
- Is the enzyme (alliinase) present and able to do the conversion (alliin \rightarrow allicin)?
- Will the alliinase survive the acidic environment of the stomach (is the tablet enteric-coated?)
- If enteric-coated, will the tablet disintegrate correctly in the intestine liberating the (protected) alliinase, allowing the conversion to occur and providing the allicin for absorption?

ConsumerLab.com, a New York-based company that provides independent test results of dietary supplements, purchased 14 garlic products available in the US market for testing in 2006.^{7°}

- Of the 13 products made from fresh or dried garlic five met every one of the quality criteria
- Seven products failed for producing too little allicin
- The products that met all quality criteria typically provided 4 to 6 mg of allicin in their maximum daily dose
- Two products also failed due to lead contamination. (Heavy metals such as lead are toxic)
- The other product was an aged garlic extract (does not contain any alliin)

In early 2007 MediHerb commissioned an independent laboratory to test MediHerb Garlic 5000mg tablets. The Centre for Phytochemistry and Pharmacology at the Southern Cross University at Lismore, Australia found that a Garlic 5000mg tablet releases 2.6 mg of allicin.⁹ This corresponds to 5.2 mg of allicin in the maximum daily dose.^{*}

How Garlic 5000mg Keeps You Healthy

Supports cardiovascular system health

Garlic has been used traditionally to support cardiovascular health.¹⁰ Many clinical trials have been conducted to investigate these effects of garlic, but the results are conflicting.⁶ The latest summary of trial results, published in 2006 suggests that garlic is better than placebo in maintaining normal cholesterol levels within a normal range.¹ Conclusive results have not been found probably because of the unknown quality of the garlic products that were evaluated.¹ But more importantly, because the allicin release from the tablets was not known.^{6*}

As of mid-2005, only one randomized, placebo- and diet-controlled trial reported the amount of allicin released from the tablet under simulated gastrointestinal conditions. And this trial found positive results.⁵ The brand of garlic tablet used in most of the clinical trials from 1994 to 2000 was tested by researchers from Utah in 2001. It was found that the allicin release under simulated gastrointestinal conditions varied from 14% to 18% of the allicin potential. (Allicin potential is the amount that should be released based on the alliin content.)^{5,6} These results strongly suggest that to be effective, garlic tablets need to be standardized for alliin content with known allicin-releasing capability, tested under simulated gastrointestinal conditions.*

Garlic also supports the cardiovascular system in other ways. Double-blind, placebo-controlled trials have shown that allicin-releasing garlic powder helps the blood to have healthy platelet function.^{11,12} Healthy platelet function is necessary for a healthy blood flow and the continuing health of the blood vessels.*

In controlled clinical trials garlic powder was also found to:*

- improve blood flow (to the skin and tissues)^{11,13}
- help maintain normal elasticity of the blood vessels of volunteers aged over 50 years¹⁴

Another well-designed trial and further research has found that garlic helps keep the walls of the blood vessels healthy in a similar way to HDL-cholesterol. (HDL-cholesterol is the 'good cholesterol' in your body.)^{15,16}

Promotes health in the gastrointestinal system

Population studies that involved people in Italy and Switzerland (1991–2004) found that garlic in the diet was associated with a healthy gastrointestinal tract (mouth, pharynx, esophagus, larynx and large bowel). The analysis compared the health of people eating high amounts of garlic with those eating none or a low amount.¹⁷ Scientists think that the sulfur compounds in garlic are important for these beneficial effects.^{18*}

During World War I garlic was used to help ensure intestinal health in soldiers stationed in the Balkans.¹⁹ In 1941, an American clinician conducted an unblinded, controlled trial and found garlic helped maintain proper gastrointestinal flora in those with a history of poor gastrointestinal function.²⁰ In a 1991 uncontrolled trial in Egypt, it was found that garlic promoted intestinal health and normal stools in children.^{21*}

Enhances immune system response and promotes healthy lung function

During the first century, the official Army physician Dioscorides specified that garlic be taken by Roman soldiers to support a healthy response in the lungs.²² More recently, garlic has been used traditionally to support healthy lung function. It may do this by stimulating the mucous membranes and promoting healthy secretions in the lung.^{23-25*}

In the 1980s Russian newspapers advised the chewing of raw garlic to enhance normal immune response in the upper respiratory tract.²³ In World War II, the Soviet army also used garlic to enhance normal immune response.²⁶ Volunteers taking a garlic tablet were more likely to stay healthy during the winter months and have healthy respiratory tract function than those taking placebo. This randomized, double-blind study was conducted in England and published in 2001.^{27*}



What Makes MediHerb Garlic 5000mg Unique

Garlic 5000mg from MediHerb is unique in the professional herbal products industry because:

- It states on the label exactly how much each tablet contains of the important plant constituent (alliin)
- MediHerb tests the quantity of alliin in garlic raw materials
- MediHerb tests that alliinase is present and active in garlic raw material
- MediHerb's testing ensures the alliin and alliinase are retained in the product throughout manufacture
- MediHerb's testing also ensures that the alliinase is *protected* from stomach acid by correct enteric coating, and the tablet disintegrates under simulated gastrointestinal conditions to release a known amount of allicin
- Independent testing⁹ has shown that a MediHerb Garlic 5000mg tablet contains 2.6 mg of allicin

Unique Manufacture & Analytical Testing

Quality and safety ensured

- Manufactured in Australia to the high standards of international pharmaceutical Good Manufacturing Practice
- Raw materials and finished product are subjected to tough quality standards, including use of the latest and most relevant chemical analysis methods

References

- Rahman K, Lowe GM. J Nutr 2006; 136(3 Suppl): 7365-7405
- Cronin JR. Altern Complement Ther 2001; 7(3): 166-170 Rivlin RS. J Nutr 2001; **131** (3s): 9515-9545
- Lawson LD, Bauer R (eds). Phytomedicines of Europe: Chemistry and Biological Activity. ACS Symposium Series 691. American Chemical Society, Washington DC, 1998.
- Lawson LD, Gardner CD. J Agric Food Chem 2005; 53(16): 6254-6261
- Lawson LD, Wang ZJ, Papadimitriou D. Planta Med 2001; 67(1): 13-18 Product Review: Garlic Supplements. Initial Posting: 21 June 2006, updated: 4 September 2006. Available by subscription from www.consumerlab.com. Accessed 15 November 2006.
- ⁸ Lawson LD, Wang ZJ. J Agric Food Chem 2001; 49(5): 2592-2599
- ¹⁰ Centre for Phytochemistry & Pharmacology Analytical Division, Southern Cross University, Lismore NSW, Australia, April 2007. Information on file, MediHerb Research Laboratory, 3/85 Brandl Street, Eight Mile Plains, Queensland, 4113, Australia.
 ¹⁰ Rivlin RS. J Nutr 2001; **131**(3s): 951S-9545
 ¹¹ Kiesewetter H, Jung F, Pindur G. Int J Clin Pharmacol Ther Toxicol 1991; **29**(4): 151-155
 ¹² Kiesewetter L, Hung F, Pindur G, Int J Clin Pharmacol Ther Toxicol 1991; **29**(4): 151-155

- ¹⁶ Klesewetter H, Jung F, Pindu G. *Int J Clin Phainfactor Their Toxicor* 1991; 29(4): 151-12
 ²⁶ Klesewetter H, Jung F, Jung EM et al. *Eur J Clin Pharmacol* 1993; 45(4): 333-336
 ¹³ Anim-Nyame N, Sooranna SR, Johnson MR et al. *J Nutr Biochem* 2004; 15(1): 30-36
 ¹⁴ Breithaupt-Grogler K, Ling M, Boudoulas H et al. *Circulation* 1997; 96(8): 2649-2655
 ¹⁵ Koscielny J, Klussendorf D, Latza R et al. *Atherosclerosis* 1999; 144(1): 237-249

- Vostatelli V, Nussendori D, Zatza K et al. Anteroscietosis 1999; 144(1): 237249
 Vastag B, ZhMA 2002; 288(11): 1342
 Galeone C, Pelucchi C, Levi F et al. Am J Clin Nutr 2006; 84(5): 1027-1032
 Sengupta A, Ghosh S, Bhattacharjee S. Asian Pac J Cancer Prev 2004; 5(3): 237-245
 Harris JC, Cottrell SL, Plummer S et al. Appl Microbiol Biotechnol 2001; 57(3): 282-286
 Weiss E. Med Rec 1941; 153: 404-408

- Soffar SA, Mokhar GM. *J Egypt Soc Parasitol* 1991; **21**(2): 497-502
 Farbman KS, Barnett ED, Bolduc GR et al. *Pediatr Infect Dis J* 1993; **12**(7): 613-614
 Bolton S, Null G, Troetel WM. *Am Pharm* 1982; **NS22**(8): 40-43
- ²⁴ British Herbal Medicine Association's Scientific Committee. British Herbal Pharmacopoeia. BHMA, Bournemouth, 1983
- 25 Felter HW, Lloyd JU. King's American Dispensatory. 18th Edn, 3rd revision. First published 1905, reprinted Eclectic Medical Publications, Portland, 1983
- ²⁶ Dietz DM, Varcelotti JR, Stahlfeld KR. Burns 2004; **30**(6): 612-613

27 Josling P. Adv Ther 2001; 18(4): 189-193



Exclusive United States Distributor for MediHerb® 800-558-8740 www.standardprocess.com



Quality is our Passion

MediHerb products are developed by experts and leaders in the field of herbal therapy, using scientific evidence and hundreds of years of traditional knowledge.

Kerry Bone and over 20 health care professionals work within MediHerb while still managing their own clinical practices, plus we consult with an advisory board of health care professionals from around the world.

Our products are made using only the highest quality ingredients which are extensively tested for purity and potency. The MediHerb manufacturing plant operates to a strictly regulated pharmaceutical standard and is regularly audited by the Therapeutic Goods Administration (similar to the FDA), the same body that audits conventional pharmaceutical manufacturing facilities. The comprehensive regulations in Australia mean that you receive a safe and effective product that has been manufactured to pharmaceutical standards.

We know from our experience as health care professionals that the quality of a product you take makes a huge difference to the health outcome you experience. We dedicate ourselves to researching and making the best possible products to deliver health solutions that work.





www.mediherb.com